

Driver and Event	
Name	John Barron
Date	11/17/13
Event	JCP, Indianapolis, IN
Weather	Indoor
Result	N/A

Track Conditions	
Surface	Clay/Top Soil mix
Grip Level	Med/High
Track Condition	Damp



Additional Settings	
Car Weight	N/A
Washers between CTR and Bellcranks	0.0 mm
Chassis	Alloy <input checked="" type="checkbox"/> Carbon <input type="checkbox"/>

Electrics and Gearing	
E.S.C	Speed Passion
Servo	Savox
Receiver	Airtronics
Batteries	Orion
Motor	Speed Passion 8.5
Spur	83
Pinion	24
Cell Position	25mm from rear

Wheels and Tyres	
Rear Wheels	Schumacher
Rear Tyre	M4 Square Fuzzies
Rear Insert	Stock
Front Wheels	Schumacher
Front Tyre	M3 Scrubs
Front Insert	3/4 Rear

NOTES
 4mm front shock tower
 1oz behind battery
 Excellent balance of traction and Steering

Diff Type	
Ball <input type="checkbox"/> Gear <input checked="" type="checkbox"/>	Diff Oil 10K

Front Shocks	
Oil	Spring
AE25	3.5
Shock Cap Sealed <input type="checkbox"/>	Vented <input type="checkbox"/> Emulsion <input checked="" type="checkbox"/>
Piston	3 Hole
Drilled <input type="checkbox"/>	Hole Size STD mm
Shock Length 85 mm	

Rear Shocks	
Oil	Spring
AE25	2.0
Shock Cap Sealed <input type="checkbox"/>	Vented <input type="checkbox"/> Emulsion <input checked="" type="checkbox"/>
Piston	
Drilled <input type="checkbox"/>	Hole Size mm
Shock Length 97 mm	

Front Suspension	
Link Washers 1.0 mm	Yoke 0° <input checked="" type="checkbox"/> 5° <input type="checkbox"/> Alloy <input type="checkbox"/>
Hub Carrier High <input type="checkbox"/> Middle <input checked="" type="checkbox"/> Low <input type="checkbox"/>	60.0 <input type="checkbox"/> 50.5 <input checked="" type="checkbox"/> 45.5 <input type="checkbox"/> 40.5 <input type="checkbox"/>
Front Ride Height	21 mm
Front Camber at Ride Height	-1.0 Deg
Front Toe In	0.0 Deg

Rear Suspension	
Anti roll bar No <input checked="" type="checkbox"/> 1.20 <input type="checkbox"/> 1.40 <input type="checkbox"/> 1.60 <input type="checkbox"/>	Toe-In 2° <input type="checkbox"/> 3° <input checked="" type="checkbox"/>
Link Washers 1.0 mm	Rear Hub Carrier Alloy <input type="checkbox"/> Std <input checked="" type="checkbox"/>
Alloy Hub Carrier +1° <input type="checkbox"/> -1° <input type="checkbox"/>	49 <input type="checkbox"/> 44 <input type="checkbox"/> 39 <input checked="" type="checkbox"/> 34 <input type="checkbox"/>
AntiSquat 3° <input checked="" type="checkbox"/> 2° <input type="checkbox"/> 1° <input type="checkbox"/> 0° <input type="checkbox"/>	
Wheelbase Short <input type="checkbox"/> Med <input checked="" type="checkbox"/> Long <input type="checkbox"/>	
Rear Ride Height	21 mm
Rear Camber at Ride Height	-1.0 Deg