

Driver and Event	
Name	Carson Wernimont
Date	Jan '14
Event	Reedy Race
Weather	Indoors
Result	17th

Track Conditions	
Surface	Clay
Grip Level	Med - High
Track Condition	Wet



Additional Settings

Weights Added		
Cell Layout	Saddle Rearward	
Ride Height	Front	24 mm
	Rear	25 mm

Washers between CTR and Bellcranks		Zero mm
------------------------------------	--	---------

NOTES Low Rear Wing, KR Drive Shafts
Low Rear Tower, Small Bore Shocks,
(White Pistons)

Electrics and Gearing			
E.S.C	Reedy Black Box		
Servo	Futaba		
Receiver	Futaba		
Batteries	Reedy 5700 Saddle		
Motor	Reedy 7.5		
Spur	76	Pinion	21
Ext Gears	35/21	<input type="checkbox"/>	
	33/23	<input checked="" type="checkbox"/>	
	31/25	<input type="checkbox"/>	

Wheels and Tyres	
Rear Wheels	AKA Hexlite
Rear Tyre	Reedy Handout
Rear Insert	Reedy Handout
Front Wheels	AKA Hexlite
Front Tyre	Reedy Handout
Front Insert	Reedy Handout

Differential Height	
High	<input type="checkbox"/>
Low	<input checked="" type="checkbox"/>

Rear Topdeck Link	
Turnbuckle	<input checked="" type="checkbox"/>
Moulding	<input type="checkbox"/>

Rear Shocks	
Oil	25
Spring	Black
Piston Holes	2 <input checked="" type="checkbox"/> 3 <input type="checkbox"/> 4 <input type="checkbox"/> 5 <input type="checkbox"/> 6 <input type="checkbox"/>
Shock Length Std	

Front Shocks	
Oil	25
Spring	Green
Piston Holes	2 <input checked="" type="checkbox"/> 3 <input type="checkbox"/> 4 <input type="checkbox"/> 5 <input type="checkbox"/> 6 <input type="checkbox"/>
Shock Length Std	

Rear Suspension	
Anti roll bar	No <input checked="" type="checkbox"/> 1.20 <input type="checkbox"/> 1.40 <input type="checkbox"/> 1.60 <input type="checkbox"/>
Strap	3° <input checked="" type="checkbox"/> 4° <input type="checkbox"/> 5° <input type="checkbox"/>
Link Washers	2.0 mm
Antisquat Washers	3.5 mm
Link Washers	0 mm
Shock Postion	Front <input type="checkbox"/> Rear <input checked="" type="checkbox"/>
Wheelbase	Short <input type="checkbox"/> Med <input checked="" type="checkbox"/> Long <input type="checkbox"/>
Rear Camber at Ride Height	-1 deg

Rear Hub Carrier	Alloy <input type="checkbox"/> Std <input checked="" type="checkbox"/>
Alloy Hub Carrier	+1° <input type="checkbox"/> -1° <input type="checkbox"/>
	49 <input type="checkbox"/> 44 <input type="checkbox"/> 39 <input type="checkbox"/> 34 <input checked="" type="checkbox"/>

Front Suspension	
Link Washers	0 mm
Front Camber at Ride Height	-1 deg
Front Toe In	0 deg

Yoke	0° <input checked="" type="checkbox"/> 5° <input type="checkbox"/>
Hub Carrier	High <input type="checkbox"/> Low <input checked="" type="checkbox"/>
	60.0 <input type="checkbox"/> 50.5 <input type="checkbox"/> 45.5 <input checked="" type="checkbox"/> 40.5 <input type="checkbox"/>