

## DRIVER AND EVENT DETAILS

Name   
 Date   
 Event   
 Weather   
 Result

## TRACK CONDITIONS

Grip Level  High  Medium  Low   
 Track Type  Tight  Open  Both   
 Surface  Carpet  Tarmac  Wood   
 Venue  Indoor  Outdoor   
 Track Condition  Smooth  Bumpy   
 Track Temperature  °C  °F



## DRIVER NOTES

## CHASSIS AND ELECTRICS

Chassis   
 Top Deck   
 Bodyshell   
 Wing   
 E.S.C   
 Servo   
 Receiver   
 Number of Cells  4  5  6   
 Type of Cells

## MOTOR AND GEARING

Type  Brushed  Brushless   
 Motor   
 Brush   
 Spring   
 Timing   
 Gear Pitch  48Dp  64Dp   
 Spur Size   
 Pinion Size



## WHEELS, TYRES AND INSERTS

Wheels   
 Tyres   
 Inserts   
 Tyre Additive   
 Additive Time  MIN (R)  MIN (F)  
 Tyre Warmers  Yes  No

## FRONT SETTINGS


Drive  Diff  Spool  One-Way  Height  High  Low

Servo Saver  Yes  No   
 Toe In-Out  In-board   Out-board   ° Toe-out  
 Screw Block Spacers    
 Wishbone Quik-Klips    
 Link Washers (Horizontal)    
 Ride Height (Chassis to Floor)    
 Droop (Chassis to Floor)    
 Anti-roll Bar  Yes  No   1.20  1.40  1.60   
 Castor  0°  2°  4°  6°   
 Camber  Positive  Negative   Deg  
 Link Washers (Vertical)    
 Inboard Pin  Kick-up  Anti-dive  Horizontal   
 Pivot Block Spacers




## Front Shocks

Oil   
 Springs   
 Piston Holes  2  3   
 length   
 Rebound  %





## Centre Track Rod



## REAR SETTINGS

Drive Height  High  Low

Toe In  In-board    Out-board     
 Screw Block Spacers    
 Wishbone Quik-Klips    
 Link Washers (Horizontal)    
 Ride Height (Chassis to Floor)    
 Droop (Chassis to Floor)    
 Anti-roll Bar  Yes  No   1.20  1.40  1.60   
 Camber  Positive  Negative   Deg  
 Link Washers (Vertical)    
 Inboard Pin  Pro-Squat  Anti-Squat  Horizontal   
 Pivot Block Spacers



## Rear Shocks

Oil   
 Springs   
 Piston Holes  2  3   
 length   
 Rebound  %



## Driver Notes

low front tower  
wide rear tower

