

DRIVER AND EVENT DETAILS

Name Marcos Jennings
 Date 8-16-09
 Event Club Race
 Weather Cloudy
 Result Qualified 3rd

CHASSIS AND ELECTRICS

Chassis Stock
 Top Deck Stock
 Bodyshell Mazda Speed 6
 Wing stock
 E.S.C LRP SXX
 Servo Futaba 9550
 Receiver Spektrum DSM2
 Number of Cells 4 5 6
 Type of Cells Core RC 5000

TRACK CONDITIONS

Grip Level High Medium Low
 Type Tight Open Both
 Surface Carpet Tarmac Wood
 Condition Smooth Bumpy
 Temperature °C °F
 Venue Indoor Outdoor



WHEELS, TYRES AND INSERTS

Wheels RP
 Tyres RP 36
 Inserts Premounts
 Tyre Additive MOTOR SPRAY/WD40
 Additive Time MIN (R) MIN (F)
 Tyre Warmers Yes No

MOTOR AND GEARING

Type Brushed Brushless
 Motor SP 3.5 2.0
 Brush
 Spring
 Timing motor stock esc profile #4
 Gear Pitch 48Dp 64Dp
 Spur Size 89
 Pinion Size 16

DRIVER NOTES

Used M13.5 wheel hexes in front.
 Used aluminum rear hubs




Front Shocks

Oil 35 WT
 Springs whites
 Piston Holes 2 3
 length 61.7
 Rebound 25 %


FRONT SETTINGS

Drive Diff Spool One-Way Height High Low

Servo Saver Yes No
 Pivot Blocks Moulded (std) Alloy
 Screw Block Spacers Front .5 mm Rear .5 mm
 Wishbone Quik-Klips Front 2 mm Rear 2 mm
 Toe In-Out In-board Out-board 0°
 Ride Height (Chassis to Floor) 5 mm
 Droop 5 mm
 Anti-roll Bar No 1.20 1.40 1.60
 Castor 0° 2° 4° 6°
 Camber Positive Negative 2 Deg
 Link Washers 1 mm
 Inboard Pin Kick-up Anti-dive Horizontal
 Pivot Block Spacers Front 2 mm Rear 2 mm




Centre Track Rod



Washers 2 mm

Link Mount


1 Groove
 2 Groove
 3 Groove



REAR SETTINGS


Drive Height High Low

Pivot Blocks Moulded (std) Alloy
 Screw Block Spacers Front 2 mm Rear .5 mm
 Wishbone Quik-Klips Front 2 mm Rear 2 mm
 Toe In In-board 0° Out-board 0°
 Ride Height (Chassis to Floor) 5.25 mm
 Droop 5 mm
 Anti-roll Bar No 1.20 1.40 1.60
 Camber Positive Negative 2 Deg
 Link Washers 3 mm
 Inboard Pin Pro-Squat Anti-Squat Horizontal
 Pivot Block Spacers Front 2 mm Rear 2 mm




Link Mount

1 Groove
 2 Groove
 3 Groove



1.4mm
 2.4mm
 3.4mm
 4.4mm



Rear Shocks

Oil 35 WT
 Springs white
 Piston Holes 2 3
 length 61.7
 Rebound 25 %

